



CONCEPT
PACKAGING
GROUP

CPG Confined Spaces

CPG Human Resources


CPG Confined Spaces

- A confined space meets all these criteria:
 - it is large enough for an employee to enter
 - it has restricted means of entry or exit
 - it is not designed for continuous employee occupancy
- The physical and atmospheric hazards often associated with confined spaces can cause serious injury or death



CPG Confined Spaces

- Where is the CPG Confined Space Procedure located?



CPG Confined Spaces

- This procedure meets OSHA requirements and provides CPG employees with the necessary information for activities involving confined spaces:
 - Maintenance and cleaning of boilers
 - Cutting or welding in confined spaces
 - Telecommunications and electrical utility work in manholes and unvented vaults
 - Work in excavations or trenches that could develop hazardous atmospheres
 - Work in sewers, manholes, pits, and traps

CPG Confined Spaces

- Examples of confined spaces include:
 - Tanks
 - Pits
 - Certain tunnels
 - Utility vaults
 - Boilers



CPG Confined Spaces

- Unauthorized confined space entry is prevented during normal operations by one of the following methods:
 - Barricades
 - Locks
 - Attendants
 - Signage
- The purpose of this training is to communicate that CPG employees are NOT permitted to enter into any confined space – this work is contracted to qualified individuals





CPG Confined Spaces

Questions